


# 移行期の管理のコツ



## 推奨給与方法

通常の条件では56g/頭/日を毎日与える。

さらに栄養が必要な時期は、倍の112g/頭/日を与える。

Available in two additional concentrations: Original YC™ and Original XPC™

## 成功する移行期の牛の管理方法

1. あなたが望むボディーコンディションスコアになったら牛を乾乳する。
2. 乾乳時、乳房炎の問題がある牛や全ての乾乳牛は獣医に薦められたら治療する。
3. 体の内外の寄生虫は獣医の指示に従って治療する。
4. 乾乳牛の乾物摂取量は、体重の約2%程度を維持する。栄養士と相談しながら、粗飼料を多く、濃厚飼料は少なくする。
5. 乾乳牛の飼料の醗酵飼料のバランスを調整する。獣医の指示に従って、3-4週間のプレフレッシュの期間、ワクチン補助プログラムにより初乳中の抗体を最高に高める。
6. クロスアップの乾乳牛を3-4週間のプレフレッシュの間隔離し、濃厚飼料のバランスを栄養士の指示に従い調整する。
7. XPを1頭当たり1日56g、飼料に混ぜる。
8. ボディーコンディションスコアと乳房の発達状態を確認する。必要に応じて乳房の浮腫を治療する。また乳房炎になっていないか確認し、治療する。
9. セレニウムを栄養士の指示に従って補う。
10. 生まれた子牛には良質な初乳を推奨された通り与える。
11. 栄養士の指示に従い、新鮮な飼料か高品質な飼料を与える。
12. 問題のある牛、もしくは飼料の品質が通常より良くない場合には、XPを1日1頭当たり112gに増やして与える。

If you would like more information, please contact your local Diamond V representative.

〒107-0052 東京都港区赤坂 8-7-1  
フリーダイヤル 0120-03-7432 | [www.nastokyo.co.jp](http://www.nastokyo.co.jp)

2525 60th Avenue SW | Cedar Rapids, IA 52404 | USA  
800.373.7234 | +1.319.366.0745 | [www.diamondv.com](http://www.diamondv.com)



©2012 Diamond V Mills, Inc. All rights reserved. Diamond V® is a registered trademark and Original YC™, XP™, and XPC™ are trademarks of Diamond V Mills, Inc.



**Diamond V®**  
The Trusted Experts In Nutrition & Health™